Ti Tree Basin Hydrogeology

Des Yin Foo Water Resources April 2017





Contents

- » Regional Geological Setting
- » Ti Tree Basin Hydrogeology
 - Aquifers
 - Groundwater Movement and Recharge
 - Water Quality
- » Research
- » Future Work




Regional Geological Setting




Regional Geological Setting

- Palaeovalley systems are key features in the Southern region
- Deep river and valley systems etched into landscape
- ♣ Tertiary and Quaternary aged sediments (~10 - 60 My)
- Deposited under river or lake conditions www.nt.gov.au




Palaeovalley Systems

- Water supplies to towns and communities
- Potential for development
- Water quality good to saline



Palaeovalley Systems

- Water supplies to towns and communities
- Potential for development
- Water quality good to saline





Ti Tree Basin Hydrogeology





Ti Tree Basin Aquifers


- **4** 300m + Tertiary and Quaternary sediments
- Shallow unsaturated profile low permeability
- ♣ Sandstone ~ 40m thickness
- Underlain by low permeability sediments
- ♣ Bore yields typically 5 -15 L/s
- Aquifer thickness mapping













Other Aquifers

- Knowledge founded by mineral exploration including drilling and geophysical work
- **♣** Sandstone beds below 200m in discrete channels
- Potential yields of 10 L/s
- Brackish water




Groundwater Monitoring Data

- Mid 1970's wet period notable
- Event based recharge
- Only significant rains result in recharge




Groundwater Movement and Recharge

- Generally northward
- Hanson River Palaeovalley
- Discrete areas of preferential recharge
- Unsaturated zone research




Groundwater Movement and Recharge



Groundwater Quality

- Sodium chloride salt, nitrate
- All groundwater suitable for stock watering
- Parts of the aquifer potable for human consumption

GROUNDWATER SALINITY



Research



Research

- Investigations conducted Water Resources since 1960's
- Superscience site
- Hydrologic Research by National Groundwater Research and Training (NCGRT) – Flinders University
 - Recharge mechanism and variability
- Ecological research by Terrestrial Ecosystem Research Network
- (TERN) University of Technology Sydney
 - Woodland and savanna
 - Carbon budget
 - Responses to rainfall and climate drivers

Future Work



Future Work

Water Resource Monitoring

- Additional rainfall data distributed across the area
- Strategic groundwater level monitoring required
- Continued surface water monitoring for Allungra Creek and Woodforde River

Water Usage

Stock and Domestic usage

Investigations

- Deep aquifer system
- Establish GDEs

